

Ghetie et al., 1997 Nature Biotech. 15(7):637-640

MIL

11/08/08

NY2 - 1321686.1

		Sheet 2 of 3
MB	ВВ	Ho et al., 1989, Gene 15:51-59
-	вс	Israel et al., 1996, Immunol. 89:573-578
	BD	Johnson et al., 1997, J. Infectious Disease 176:1215-1224
	BE	Junghans, 1997, Immunologic Research 16(1):29-57
	BF	Junghans et al., 1996, Proc. Natl. Acad. Sci. USA 93:5512-5516
	BG	Junghans, 1997, Blood 90(10):3815-3818
	ВН	Junghans, 1997, Trends in Biotehenology 5(15):155
	BI	Kabat et al., 1991, Sequences of Proteins of Immunological Interest, U.S. Public Health Service, National Institutes of Health
	ВЈ	Kim et al., 1994, Scandinavian J. Immunol. 40(4):457-465
	вк	Kim et al., 1995, Mol. Immunol. 32(7):467-475
	BL	Kim et al., 1994, Eur. J. Immunol. 24:542-548
	ВМ	Kim et al., 1994, Eur. J. Immunol. 24:2429-2439
	BN	Kim et al., 1994, FASEB J. 8:pA467
	ВО	Kim et al., 1995, 9th International Congress of Immunol., p.469
	BP	Kunkel et al., 1987, Methods Enzymol. 154:367-382
	BQ	Li et al., 1997, J. Mol. Biol. 269(3):385-394
	BR	Martin and Bjorkman, 1999, Biochemistry 38:12639-12647
	BS	Medesan et al., 1996, Eur. J. Immunol. 26:2533-2536
	вт	Medesan et al., 1997, J. Immunol. 158:2211-2217
	BU	Medesan et al., 1998, Eur. J. Immunol. 28(7):2092-2100
	в٧	Popov et al., 1996, Mol. Immunol. 33:493-502
	вw	Popov et al., 1996, Mol. Immunol. 33:521-530
	вх	Sanger et al., 1977, Proc. Natl. Acad. Sci. USA 74:5463-5467
	ВҮ	Schuck, et al., 1999, Mol. Immunol. 36:1117-1125
	BZ	Shields et al., 2001, J. Biol. Chem. 276:6591-6604
	CA	Story et al., 1994, J. Exp. Med. 180:2377-2381
	СВ	Thatte et al., 1999, J. Exp. Med. 189(3):509-520
	сс	van der Merwe et al., 1993, EMBO J. 12:4945-4594
	CD	van der Merwe et al., 1994, Biochemistry 33:10149-10160
	CE	Vaughn and Bjorkman, 1997, Biochemistry 36:9374-9380
	CF	Ward and Qadri, 1997, Current Opinion Immunol. 9(1):97-106
	CG	Ward and Ghetie, 1995, Ther. Immunol. 2:77-94
	СН	West and Bjorkman, 2000, Biochemistry 39:9698-9708
	CI	Ahouse et al. Mouse MHC class I-like Fc receptor encoded outside the MHC. J Immunol. 1993 Dec 1; 151(11):6076-88.
	Cì	Burmeister et al. Crystal structure at 2.2 A resolution of the MHC-related neonatal Fc receptor. Nature. 1994 Nov 24;372(6504):336-43.
MYS	СК	Burmeister et al. Crystal structure of the complex of rat neonatal Fc receptor with Fc. Nature. 1994 Nov 24;372(6504):379-83
		/

11/08/04

NY2 - 1321686.1

SEP 0 7 2004

_						
L	M	B	CL	Chintalacharuvu et al. Hybrid IgA2/IgG1 antibodies with tailor-made effector functions. Clin Immunol. 2001 Oct;101(1):21-31		
			СМ	Cianga et al. Identification and function of neonatal Fc receptor in mammary gland of lactating mice. Eur J Immunol. 1999 Aug;29(8):2515-23.		
			CN	Dickinson et al. Bidirectional FcRn-dependent IgG transport in a polarized human intestinal epithelial cell line. J Clin Invest. 1999 Oct;104(7):903-11		
			со	Ghetie et al. Multiple roles for the major histocompatibility complex class I- related receptor FcRn. Annu Rev Immunol. 2000;18:739-66. Review.		
	1		СР	Kristoffersen et al. Co-localization of the neonatal Fc gamma receptor and IgG in human placental term syncytiotrophoblasts. Eur J Immunol. 1996 Jul;26(7):1668-71		
05 40			cq	Martin et al. Characterization of the 2:1 complex between the class I MHC-related Fc receptor and its Fc ligand in solution. Biochemistry, 1999 Sep 28;38(39):12639-47		
			CR	Raghavan et al. Investigation of the interaction between the class I MHC-related Fc receptor and its immunoglobulin G ligand. Immunity, 1994 Jul;1(4):303-15		
			cs	Raghavan et al. Analysis of the pH dependence of the neonatal Fc receptor/immunoglobulin G interaction using antibody and receptor variants. Biochemistry. 1995 Nov 14;34(45):14649-57		
			ст	Rodewald R. pH-dependent binding of immunoglobulins to intestinal cells of the neonatal rat. J Cell Biol. 1976 Nov;71(2):666-9		
			CU	Sanchez et al. Stoichiometry of the interaction between the major histocompatibility complex-related Fc receptor and its Fc ligand. Biochemistry. 1999 Jul 20;38(29):9471-6		
Ц	L		cv	Simister et al. An Fc receptor structurally related to MHC class I antigens. Nature. 1989 Jan 12;337(6203):184-7		
			cw	Vaughn et al. High-affinity binding of the neonatal Fc receptor to its IgG ligand requires receptor immobilization.  Biochemistry. 1997 Aug 5;36(31):9374-80.		
			сх	Vaughn et al. Identification of critical IgG binding epitopes on the neonatal Fc receptor. J Mol Biol. 1997 Dec 12;274(4):597-607		
	M	3	сч	Wallace et al. Studies on the immunoglobulin-G Fc-fragment receptor from neonatal rat small intestine. Biochem J. 1980 Apr 15;188(1):9-16		
EXAMINER DATE CONSIDERED 1/08/04						
•E	*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.					